

SL NO.	Date	Name of Experiment	Page No.	Remarks
1.		XHTML Frames	1-2	
2.		Tables	3-4	
3.		Hyper Links	5-6	
4.		Registration form	7-8	
5.		External CSS	9-10	
6.		String processing and searching methods	11-12	
7.		JQuery events	13-14	
8.		XHTML with forms with Jscript	15-16	
9.		Math objects and its methods	17-18	
10.		AJAX objects	19-20	
11.		PHP Functions	21-22	
12.		MySQL Server using PHP	23-24	

[illegible]

problem Statement:-

Design a webpage which demonstrate the concept of frames in html.

Description:

Frames are defined as deviding browser window into sections. Frames are created using `<frameset>` tag.

There are different types of frames in html.

1. Horizontal frames
2. Vertical frames
3. Mixed frames.

conclusion:-

The above script is executed
Sucessfully.

problem statement:-

To design a webpage which demonstrate the concept of tables in html.

Description:-

Tables are used to structure the piece of information. well defined website uses tables to store the information. Tables are created using <table> tag.

<table> tag contain different attributes.

<tr>

<td>

<th>

<tfoot>

<thead>

<tbody>

<height>

<width>

conclusion:

The above script is executed successfully.

problem statement:-

to design a webpage which demonstrate the concept of hyper links.

Description:

A link between two webpages are hyper links. Hyper links can be created using `<a>` anchor tag. `<a>` tag can take href attribute. In href attribute we have to specify address of the destination webpage.

there are different types of hyper links.

1. Internal links.
2. External links
3. Local links.

Conclusion:-

The above script is executed successfully.

problem Statement:

to design registration form using HTML and CSS.

Description:-

Forms allows site visitors to enter the data into fields and send it to server for processing.

forms can be created using `<form>` tag.

`<form>` tag can take the following attributes
method
name
serverurl

The following are the different types of form controls.

text boxes

check boxes

Radio buttons

select boxes.

Conclusion:-

The above Script is executed Successfully.

problem Statement:

to design a webpage for different of mens using external CSS.

Description

external CSS can be used to apply styles to the HTML document. External CSS file contains the properties and styles of the HTML element. External CSS files are save with .CSS extension.

A. horizontal

B. vertical

C. Dropdown.

There are two ways to use external CSS

`url ("file name");`

conclusion:-

The above script is executed
Successfully.

Searching methods

problem statement:-

to design and develop a java script program which demonstrate the string processing and searching methods.

Description:-

HTML strings contains textual data that include html markup.

There are essentially same as string values except in cases where HTML can be treated differently.

String methods.

String Length()

String slicing()

String substring()

String replace()

String concat().

conclusion:-

The above javascript program is executed successfully.

problem Statement:-

To design a webpage which demonstrate jquery events.

Description:-

An event represents the precise moment when something happens.

Examples:

Moving a mouse over an element.

Selecting a radio button.

Clicking on an element.

There are different types of events.

Mouse Events.

Keyboard Events

Form Events.

Document Events.

Conclusion:-

The above script is executed successfully.

problem Statement:-

To design and develop a simple webpage for online Quiz using XHTML with forms with java script.

Description:-

The main purpose of making a quiz app is to make javascript concept clear and use access to web users. So they may practise for competitive exams and improve the general knowledge.

Conclusion:

The above script is executed successfully.

problem Statement:-

To design and develop a javascript program which demonstrate math object and its methods.

Description:-

Math object is static all methods and properties can be used without creating a math object first.

Math properties

Math.floor(x)

Math.ceil(x)

Math.round(x)

Math.abs(x)

Math.sqrt(x)

Math.pow(x,y)

Math.max(x₁, x₂, ..., x_n)

Math.log(x)

conclusion:-

The above script is executed successfully.

problem Statement:-

TO design Case Study an AJAX objects and libraries with own example.

Description:-

AJAX Stands for Asynchronous Javascript and XML. It is a combination of javascript, html and XML.

Java script is used for displaying data and XML is used sending XML HTTP Request object to server.

XML HTTP Request object can take three arguments first parameter specify name of the file and second parameter specify method.

Conclusion:-

The above java script is executed successfully.

problem Statement:-

To design a simple webpage php function

Description:-

A function is a block of Statement that can be used repeatedly in a program. A function will not execute automatically.

There are two types of functions.

1. Built in functions.

2. User defined functions.

A user defined function can be created in php using word function.

conclusion:

The above script is executed successfully.

problem statement:

to design a webpage which displays all records from mysql server using PHP.

Description:-

1. Connect php to mysql Database.
2. Insert data into php my admin table.
3. Fetch data from mysql Table
4. Display Data in HTML table.
5. Test to insert data.
6. Display data using MySQL procedure.

Conclusion:-

The above script is executed successfully.

problem Statement.

to display username and password using services.

Description:-

A Servlet is a java programming language class that is used to extend the capabilities of servers that host applications accessed by means of request response programming model. Although servlets can respond to any type of request, they are commonly used to extend the applications hosted by web-servers.

conclusion:

The above java script code is executed successfully.

problem statement:

to design and develop a java program to connect with oracle database through JDBC in which inserting number of records into the table.

Description:-

In java we can connect to our database with JDBC through the java code. JDBC is one of the standard API for database connectivity using it we can easily run our query, statement and also fetch data from database.

conclusion:-

The above script is executed successfully

problem Statement:-

to design and develop a jscrip3 for implementation of jsp web applications.

Description:-

Java Server pages can be deployed in apache, Tomcat and we will connect to mySQL to create table.

Some prerequisite before we start create folder name, user under web apps. create a data base in mySQL name user before running this jsp you need mySQL connector jar Directory.

conclusion:-

The above script is executed successfully.